

=====

Sequence Listing could not be accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Durreshwar Anjum

Timestamp: [year=2008; month=5; day=7; hr=13; min=58; sec=37; ms=649;]

=====

Reviewer Comments:

<210> 53

<211> 48

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>

<221> misc_feature

<222> (1)..(1)

<223> n is 0 to 1000 of any nucleotides or spacer molecules

<220>

<221> misc_feature

<222> (8)..(8)

<223> n is 0 to 1000 of any nucleotides or spacer molecules

<220>

<221> misc_feature

<222> (13)..(13)

<223> n is 0 to 1000 of any nucleotides or spacer molecules

Invalid response for 'n' locations as shown in the above attachment.

'n' represent only single nucleotide. Please check for similar errors in subsequent sequences.

Seq id 53

<220>

<221> misc_feature

<222> (44)..(44)

<223> n is u or bind

'n' has a valid response as u but bind is not acceptable, as 'n' represent single nucleotide. check for similar errors in subsequent sequences.

Application No: 10527345 Version No: 1.0

Input Set:**Output Set:**

Started: 2008-04-24 16:29:25.550
Finished: 2008-04-24 16:29:27.101
Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 551 ms
Total Warnings: 72
Total Errors: 0
No. of SeqIDs Defined: 72
Actual SeqID Count: 72

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)

Input Set:

Output Set:

Started: 2008-04-24 16:29:25.550
Finished: 2008-04-24 16:29:27.101
Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 551 ms
Total Warnings: 72
Total Errors: 0
No. of SeqIDs Defined: 72
Actual SeqID Count: 72

Error code

Error Description

This error has occurred more than 20 times, will not be displayed

SEQUENCE LISTING

<110> RiNA Netzwerk RNA-Technologien GmbH
Rimmele, Martina
Orgel, Dagmar

<120> USE OF AN ANALYSING SUBSTANCE FOR DETECTING AN EXPLOSIVE

<130> 7003/35

<140> 10527345

<141> 2008-04-24

<150> DE 102 44 057.3

<151> 2002-09-10

<160> 72

<170> PatentIn version 3.3

<210> 1

<211> 20

<212> DNA

<213> Artificial

<220>

<223> primer

<400> 1

cugcaggcau gcaagcuugg

20

<210> 2

<211> 20

<212> DNA

<213> Artificial

<220>

<223> primer

<400> 2

gggaauucga gcucgguacc

20

<210> 3

<211> 101

<212> DNA

<213> Artificial

<220>

<223> aptamer

<400> 3

auaacacaag ugguagacua uucucuggua cgugcgcccc cggcuguauu acgggagcac

60

gccggcuaac ggaugucccu acgcaugauc ugcauucacc g

101

<210> 4
<211> 100
<212> DNA
<213> Artificial

<220>
<223> aptamer

<400> 4
aacgaacuug aucaggacgc uucggccuuc cuggcuagau gcgccccggg ugugguaauc 60

accggaguac gcuuuaacu accggccuug ugagcacaac 100

<210> 5
<211> 93
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 5
ccaacugccg auccccaac agcaugugug cucguugggc aagcgccgca cccggcguac 60

gaacucgcag ucucgacuca ugcucuugua auc 93

<210> 6
<211> 102
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 6
gugaguuucc gauauaguuu gguagagugc cagcuacggg acauccgguc guaucuucgg 60

aaccggucg cgaauuaccg caugucucug aguucgcagu aa 102

<210> 7
<211> 100
<212> DNA
<213> Artificial

<220>
<223> aptamer

<220>
<221> misc_feature
<222> (31)..(31)
<223> n is a, c, g, t or u

<400> 7
 gcacgagggc ucuauuaccu gacgcauuaa naggcgaccg cgaugccgcg uacgaggcaa 60
 gacuagggua cugucgcuac agcacucaua guugaaggcg 100

<210> 8
 <211> 92
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 8
 gguaugcuuu cgcguucgcg aaauacgaaa cuaccuuaaa aaaggugucu uagcgcauca 60
 auucggaucc cuuguggguu cccaucgagc uc 92

<210> 9
 <211> 101
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 9
 auaacacaag ugguagacua uuuucuggua cgugcgcccc cggccguauu acgggagcac 60
 gccggcuaac ggaugucccu acgcaugauc ugcauucacc g 101

<210> 10
 <211> 101
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> n is a, c, g, t or u

<220>
 <221> misc_feature
 <222> (13)..(13)
 <223> n is a, c, g, t or u

<400> 10
 ugccgauuan ggnuaaaug cugcaggcca ggaccacggc uggugaaguc aaauaguaag 60

ccagcguagg ggcuuuccca augccccga ugugaccuag a 101

<210> 11

<211> 95

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 11

ugugccacau ugcucuugac ggcgaccucg gacccgcuga uauccggcg cucuucagcc 60

ggacggggcg cguggcauau cuuagggcca uaccc 95

<210> 12

<211> 94

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 12

ucgcggacgc cugugacgca ucuacuugac guggaacaag gccauaugug ugcuuuuguu 60

gacccccgu ccaguauacu ccuuugagac ggug 94

<210> 13

<211> 103

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 13

aucgcgacau acgaugguca augcaugcau accgcuucca uuacgaacau ugacgaaccg 60

ucgaugcaua gugggcaggu gauacugcca gcccuuggag cgg 103

<210> 14

<211> 99

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 14

cuugguggc uccgaaccga acuuggguuu ccagaccgau uacgaaacac ccacgcgugu 60

cauaguguuc aucgaaugcc cccccguca uacgcggua 99

<210> 15
<211> 97
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
<221> misc_feature
<222> (15)..(15)
<223> n is a, c, g, t or u

<400> 15
ugcaccaauc gacgngcaag aggaggcccg agagaccua agaucucucg ggcgaaucgc 60

ucugaugaaa uuauuguag ggcggcaguc gaaguug 97

<210> 16
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
<221> misc_feature
<222> (1)..(1)
<223> n is c or g

<220>
<221> misc_feature
<222> (5)..(5)
<223> n is c or g

<220>
<221> misc_feature
<222> (6)..(6)
<223> n is c or g

<220>
<221> misc_feature
<222> (7)..(7)
<223> n is c or g

<220>
<221> misc_feature
<222> (8)..(8)
<223> n is c or g

<400> 16

<210> 17
<211> 101
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
<221> misc_feature
<222> (4)..(4)
<223> n is a, c, g, t or u

<220>
<221> misc_feature
<222> (73)..(73)
<223> n is a, c, g, t or u

<220>
<221> misc_feature
<222> (75)..(75)
<223> n is a, c, g, t or u

<400> 17
cuanagguug gauuuuguga acccaccgcg accacaugga cagugcguac aacgugcuuc 60

cacgcugcac gcngngcagc gacgugccga ccuccuaugg a 101

<210> 18
<211> 10
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
<221> misc_feature
<222> (1)..(1)
<223> n is g, c, u or a

<220>
<221> misc_feature
<222> (2)..(2)
<223> n is a or u

<220>
<221> misc_feature
<222> (8)..(8)
<223> n is g or c

<400> 18
nnauuacngg 10

<210> 19
<211> 98
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 19
uacgcaguaa caccgucgcc cugcgcucgu ccauaccgcg gguuggauua agugccgagc 60

accccacaag gcucacaugu ugugacaaaa gcgugcca 98

<210> 20
<211> 98
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 20
ucggcuaacu caccauuagc gaagcgggcg cgguauggaa uccuaaugca acuuuuacgu 60

ugccggguuc accaugaacg aacguagcuu ccuauga 98

<210> 21
<211> 9
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 21
cucgcaguc 9

<210> 22
<211> 10
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
<221> misc_feature
<222> (1)..(1)
<223> n is c or g

<400> 22
 naugugugcu 10

<210> 23
 <211> 100
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 23
 aacaggaaug agcgaaucua cguguuccgc ucggauaggu uaacuuugaa ccaauguaca 60
 cuauggauag caugcgucua gcacauugcg gccccugggg 100

<210> 24
 <211> 97
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
 <221> misc_feature
 <222> (6)..(6)
 <223> n is a, c, g, t or u

<400> 24
 cuuaanuggg aacugacacu acacacggac cgaccgucaa guagaccuu uuucaagggc 60
 ucgcagucca cgucgguccu cgggcauuug ugcccc 97

<210> 25
 <211> 100
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 25
 auugcuguac ggcauagccu gaagcagaau gcucacuguc gguccuccga cuggacacag 60
 ugccaguccg gggguugcua uaguaggagu ggguuauagu 100

<210> 26
 <211> 102
 <212> DNA
 <213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 26

acucucgcuu gccugccaug auucgcguaa aauuauuaaa ucggaaguau cgaucggcgu 60

uccgccuuau ugccauuga auaacuugug cgcgaguaca ca 102

<210> 27

<211> 103

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>

<221> misc_feature

<222> (10)..(10)

<223> n is a, c, g, t or u

<400> 27

guguugacn ccuuuuaccc agccaugucu aaugguauc cuccagcgcc cuaucuagcg 60

aacuucaacg gacgauggug ugcggcuggg accccaugcg ugc 103

<210> 28

<211> 101

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 28

auaacacaag ugguagacua uucuucggua cgugcgcccc cggccguauu acgggagcac 60

gccggcuaac ggauguccu acgcaugacc ugcauucacc g 101

<210> 29

<211> 96

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 29

uugacguucu uaucccgga caaaguggga cagcguggac ugaccgcgcg guuuagaaaa 60

aggugaucgc gcuuauuacg ccccccaucc ggaccc 96

<210> 30
 <211> 102
 <212> DNA
 <213> Artificial

 <220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

 <400> 30
 gacuuccgcg auccacgaug ugucaccagg cauuaguaau agauacaaca uucccauaua 60

 ggucgcccgc uucuaaccgc agguccugag ugauugaccg cc 102

<210> 31
 <211> 96
 <212> DNA
 <213> Artificial

 <220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

 <220>
 <221> misc_feature
 <222> (72)..(72)
 <223> n is a, c, g, t or u

 <400> 31
 uccacgugga ccccgcuagc cccagacgc caguaaaucu ucuagcgacu ugcgccuuga 60

 cacuucaaaa gncacauacg gcuuaccac cgagcc 96

<210> 32
 <211> 100
 <212> DNA
 <213> Artificial

 <220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

 <220>
 <221> misc_feature
 <222> (40)..(40)
 <223> n is a, c, g, t or u

 <400> 32
 cugucgguca caugauucug agaaaaaaaa aaaaggugcn ggaguaucgc ugcugcccgc 60

 ggcuangaac auuuggcaaa cuucuguggg agacuccgcu 100

<210> 33
 <211> 92

<212> DNA
 <213> Artificial

 <220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

 <400> 33
 guagcacaug ucucccacac ggccucccuu auguuagucg caguguguga ccguccuagg 60

 uaccccuuuc ggcaaccua ugucgccgau gc 92

 <210> 34
 <211> 103
 <212> DNA
 <213> Artificial

 <220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

 <400> 34
 acccaacugg guacguaacc cuccuugccc gcuuacguac cucgcacugc cacaccuua 60

 uagcugaccg ccacuucugc guacuguggc ggagggcgcu uca 103

 <210> 35
 <211> 101
 <212> DNA
 <213> Artificial

 <220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

 <400> 35
 cgcaugcugc ucacgcacua gaacugcgug cugcuagucg acccgccuug caauuccac 60

 gggcacucgg ugugugccgu gcgcucaagc cgcgacaaca c 101

 <210> 36
 <211> 99
 <212> DNA
 <213> Artificial

 <220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

 <400> 36
 uuuagccacg gaacggaaua auugaccuac auucggcacg gccacggacu auggaguugc 60

 agcuacacgu uauuuuaag agcguaaaau guggggggu 99

 <210> 37
 <211> 100
 <212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 37

gucuauaucc uggacaccaa auuuggaacc cucuucaguu ggaguccgaa acagcccaaa 60

cccccgcaug cgaguccaag ugcuaaccggg uaccccccaa 100

<210> 38

<211> 102

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>

<221> misc_feature

<222> (9)..(9)

<223> n is a, c, g, t or u

<400> 38

gugaguuunc gauauaguuu gguagagcgc cagcuacggg acauccgguc guaucuucgg 60

aaccgggucg cgaauuaccg caugucucug aguucgcagu aa 102

<210> 39

<211> 101

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 39

uccagcccag cucuaaguuu gacuaaacca aagacggcga ugcugacucu augccccga 60

cccccauaaa uuugccccgu acuuaccaag ucguuugccc c 101

<210> 40

<211> 101

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>

<221> misc_feature

<222> (80)..(80)

<223> n is a, c, g, t or u

<400> 40
ggcagcuucg auuuucggag gccuauuguc uuuuguacgu cucguaaaau acccacguug 60
uccguccgca gaccccccun agcgaguacc aaacgccccu c 101

<210> 41
<211> 101
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 41
cugggcuaua uccgaaaugc ccuuuguuca ucgcgcucau ucccugguca auaccgugcg 60
guagcaauaa ugcuguaugc augaucuugc uguauucccc c 101

<210> 42
<211> 100
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 42
auuggccaga acuaagguua gcccccaagu uuaaaaagcc uuaggagcgg agcaaaaauuu 60
gaugccgggc aaugacguuc ggccacccaa uacauguacu 100

<210> 43
<211> 97
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 43
gaauacucuu caacgugcua aaaugggagu aacgccugug uaucguguac acccuagca 60
uuggugacuu acguuuguac auaggcagac agcucua 97

<210> 44
<211> 103
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 44
aagcuuccca cgagacucua uauauucucg augcccaguc acgcaaucaa cgcagacucu 60

accugugacc gcggaucggc uuacgcgauu uuaaguuaaa ugg 103

<210> 45
<211> 101
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
<221> misc_feature
<222> (74)..(74)
<223> n ia a, c, g, t or u

<220>
<221> misc_feature
<222> (95)..(95)
<223> n ia a, c, g, t or u

<400> 45
guauagcacc cuggcucuuc aacgcaugac ucuuggcaag gcaaccgaua cgaaaauuug 60

cccucauugg ccncgaccu ggcacagcaa agcancauag g 101

<210> 46
<211> 101
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 46
cccuugcggg gccaacugcg cuguucuaaa cgauuauuca ucuuaugcac uuacgugugg 60

uacaaauguc guacccccau gcccgugacc acaaugcgcu u 101

<210> 47
<211> 90
<212> DNA
<213> Artificial

<220>
<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>
<221> misc_feature

<222> (71)..(71)
 <223> n is a, c, g, t or u

<400> 47
 uauuugcagu accgacguaa uaccgggcaau ucgacguuga cuccgggggcc agcacuuuau 60
 gccuucaaag nuaguugacg agaguuggua 90

<210> 48
 <211> 102
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 48
 cgcaaacaaa cuuucuggug ccuacacgc ccuacacauu gaagcugacc aacccgaccu 60
 uauagggggg ucgggggcgcg aucuaacacg aaucggcgug ga 102

<210> 49
 <211> 102
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 49
 ggucagauac cgucgcuacg ggguugcucc uccucauacg cuuggccacg ucguuuucgg 60
 auauuuugag cccauguuga gaaacggugc cccacuuaaa gc 102

<210> 50
 <211> 100
 <212> DNA
 <213> Artificial

<220>
 <223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 50
 caucaacuac auagcauccu uguacuua caugcaacgg ucgugauugc ggcuagauaa 60
 acccuccggu gccuaccaa agaauuaucc aaaaacugca 100

<210> 51
 <211> 98
 <212> DNA
 <213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>

<221> misc_feature

<222> (66)..(66)

<223> n is a, c, g, t or u

<400> 51

uuacaagcgc cuacgacuau cuccaauaug agcggggauag acguuuacga aucgagccua 60

ugacunuuaac auuccagcag cucgaccuag cggcgccc 98

<210> 52

<211> 101

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<400> 52

auaacacaag ugguagacua uucucuggua cgugcgcccc cggccguauu acgggagcac 60

gccggcuaac ggaugucccu acgcaugacc ugcauucacc g 101

<210> 53

<211> 48

<212> DNA

<213> Artificial

<220>

<223> Primer (seq. 1 and 2) or Aptamer (all others)

<220>

<221> misc_feature

<222> (1)..(1)

<223> n is 0 to 1000 of any nucleotides or spacer molecules

<220>

<221> misc_feature

<222> (8)..(8)

<223> n is 0 to 1000 of any nucleotides or spacer molecules

<220>

<221> misc_feature

<222> (13)..(13)

<223> n is 0 to 1000 of any nucleotides or spacer molecules

<220>

<221> misc_feature

<222> (14)..(14)

<223> n is g or c

<220>
<221> misc_feature
<222> (15)..(15)
<223> n is g or c

<220>
<221> misc_feature
<222> (16)..(17)
<223> n is u, g, c or a

<220>
<221> misc_feature
<222> (17)..(17)
<223> n is u, g or a

<220>
<221> misc_feature
<222> (23)..(23)
<223> n is g or c

<220>
<221> misc_feature
<222> (25)..(25)
<223> n is g or c

<220>
<221> misc_feature
<222> (26)..(26)
<223> n is 0 to 1000 of any nucleotides or spacer molecules

<220>
<221> misc_feature
<222> (37)..(37)
<223> n is 0 to 1000 of any nucleotides or spacer molecules

<220>
<221> misc_feature
<222> (38)..(38)
<223> n is g or c

<220>
<221> misc_feature
<222> (43)..(43)
<223> n is g or c

<220>
<221> misc_feature
<222> (44)..(44)
<223> n is u or bind

<220>
<221> misc_feature
<222> (45)..(45)
<223> n is g or c